Solid Brass MR16 Path Light, IP65, Antique Bronze, 12V Low Voltage, 22.7" H

OVERVIEW

The LT2417 is a solid brass path light designed for low-voltage landscape lighting applications. Available in Antique Bronze, Gun Metal Black, and Matte Black finishes, it accepts a standard MR16 lamp (sold separately) and is suited for residential and commercial pathway, garden, and perimeter lighting installations.

The fixture operates on 9–17V AC/DC input, requiring a low-voltage transformer (sold separately), and supports lamps up to 50W. The housing is constructed from solid brass with a clear flat glass lens and includes a pre-stripped 72" SPT-1W 18-gauge lead wire. At 2.2" diameter and 22.7" in height, it is compatible with a range of optional brass risers, stakes, and canopy accessories.

The fixture carries an IP65 wet-location rating and an ETL listing. Warranty coverage is 10 years on surface finish and lifetime on structure.

SPECIFICATIONS

IP rating	IP65	**Dimensions**	2.2" DIA x 22.7" H in
Input voltage	9–17V AC/DC V		

DIMENSIONS



ORDERING INFORMATION

CATEGORY	MODEL	FINISH	LAMP	ACCESSORIES
PATH LIGHT	L12417	AB Antique Bronze GM Gun Metal Black MB Matte Black	4ft 6ft 8ft 10ft 20ft	L1402A Brass surface mount canopy L1402AC Brass surface mount flat canopy L1404A1 Brass riser 1" L1404A7 Brass riser 7" L1404A12 Brass riser 12" L1404A18 Brass riser 18" L1404A24 Brass riser 24" L1404B2S25 Brass extendable riser, DIA 0.68", 16.7T 25.6T long L1404B2S35 Brass extendable riser, DIA1.75" 16.18" - 28" long L1404C Brass stake 12" long Please consult for details on other optional accessories

CERTIFICATIONS & COMPLIANCE

Specifications subject to change without notice.

IP65

Specifications subject to change without notice.

IP65

Specifications subject to change without notice.