

Solid Brass Underground Well Light for MR16 Lamps, Up to 50W, IP65, 9–17V AC/DC

OVERVIEW

The 1-UG4.7-MR16-BZ is a solid brass underground well light designed for low-voltage landscape and architectural in-ground applications. It accepts MR16 lamps (sold separately) up to 50W and features an adjustable lamp bracket angle for precise beam aiming. The housing is finished in Antique Bronze and fitted with a clear flat glass lens.

The fixture operates on 9–17V AC/DC and requires a low-voltage transformer (sold separately). Lead wire is a pre-stripped 72-inch SVT-1W 18 AWG. Dimensions are 4.7" diameter x 5.7" height. The IP65 rating confirms protection against dust ingress and low-pressure water jets, making it suitable for buried or grade-level outdoor installations.

The fixture carries an IP65 environmental rating and is ETL listed. Warranty is one year.

SPECIFICATIONS


IP rating	IP65	Dimensions	4.7" DIA x 5.7" H in
Input voltage	9-17V AC/DC V		

DIMENSIONS

ORDERING INFORMATION				
CATEGORY	MODEL	FINISH	LAMP	ACCESSORIES
		Antique Bronze	MR16	
		Polished Brass	MR16	
		Black	MR16	
		White	MR16	

Please consult the datasheet for other optional accessories.

CERTIFICATIONS & COMPLIANCE



IP65

IP65