

## SMD5050 LED Tape Light, 60 LED/m, 6000K, 12VDC, IP65, 5m Roll

### OVERVIEW

The M-50N-60-60K-UL is an SMD5050 LED tape light configured at 60 LEDs per meter, designed for commercial and industrial lighting applications. Supplied in 5-meter rolls, it is suited for cove lighting, display illumination, and general-purpose architectural installations where a cool white light source is required.


The strip operates at 12V DC and consumes 14.4W per meter, delivering 1,200 lumens per meter at a color temperature of 6000K with a CRI of 80. The IP65-rated silicone tube construction provides protection against dust ingress and low-pressure water jets, making it appropriate for semi-exposed or damp-location installations. The 10mm double-layer PCB supports stable electrical performance, and the strip is cuttable at designated intervals for field trimming.

This product carries UL listing (E346797) and is manufactured in compliance with RoHS requirements. A 2-year warranty applies. Installers should verify driver compatibility for 12V DC output at the required load capacity prior to installation.

### SPECIFICATIONS

<b>Power</b>	14.4 W/m	<b>CRI</b>	80
<b>Luminous flux</b>	1200 lm/m	<b>IP rating</b>	IP20
<b>CCT</b>	6000 K	<b>Input voltage</b>	24 V DC

### INSTALLATION



### CERTIFICATIONS & COMPLIANCE



RoHS



**IP65**

IP65